


Figure 1

Figure 2






Figure 3

T09080" 886T2660

Figure 4




Figure 5




Figure 6

D-Glc Ferrocene Boronates Possible Routes of Fragmentation




Figure 7

Fragment Ions Derived from Sequential Carbon Loss




Figure 8




Figure 9

L-Fuc Ferrocene Boronates Possible Routes of Fragmentation




Figure 10

Fragment Ions Derived from Sequential Carbon Loss




Figure 11

109080" 006T2560

Maltose Cellobiose & Lactose MS² Comparison






Figure 12




T09020" 886T2660

FIGURE 13



103080" 88672660


Figure 14



T05080" 006T2660

Figure 15a

GlcNAC



GalNAc






Figure 15c




TOSED" 826T2660

Figure 15d



109090" 886T2660

Figure 15e



FOUO " 886T2660

Figure 15f

C1=C13 GlcNAC




Figure 16




FIGURE 17

Figure 17




Figure 18

TO0080" 686T2660




Figure 19




Figure 20

FERROCENYL BORONATE DERIVATIZATION OF CHEMICAL...






Figure 21




105090" 096T2650

Figure 22




FO9080" 886T2660

Figure 23




109080" 336T2660

Figure 24




109080 " 88672650

Figure 25




T.D.9080" 836T2660

Figure 26



109020" 026T2660

Figure 27






Figure 28

109080" 886T2660